LOT 8 BROOK ROAD EXT. 7.5

PERMIT TO INSTAL	L PLUMBING	75-79	·		141	
Dote	Address	Lot 8 Brook Road			MAA1	5
Issued 8-27-64	Installation F	or, E. W. Payne		<u>r</u> p	ERMIT NU	JMBES
PORTLAND PLUMBING	Owner of Ble	dg. R. H. Payne				_`
	Owner's A Id	Pleasant Hill, Falu	outh			_ ,
By J. P. Welch	Plumbers NEW   Pari	William H. Carr		<del>_</del> _		_
APPROVED FIRST INSPECTIO	NEW RIFT	PROPOSED INSTALLATIONS SINKS	Date:	8⊷7 Number	27-64	
Dale 8-31-64		LAVATORIES		HOMBE	FEE	7
1.0.10		TOILETS "				• 0
By Jakana	<del></del>	BATH TUBS				-
APPROVED FINAL INSPECTION	<del>    </del>	SHOWERS				
JOSEPH P. W		DRAINS HOT WATER TANKS				
CHIEF PLUMBING I	SOFEED	TANKLESS WATER HEATERS				•
By	31 20 0,7	GARBAGE GRINDERS				,
TYPE OF BUILDING	┠┈┱┥╌	SEPTIC TANKS				ጠ
COMMERCIAL RESIDENTIAL	┝╼╼┺╂╼╼╾╁	HOUSE SEWERS				3
SINGLE ]	┝╍╼╼╂╌╼╼╂	ROOF LEADERS (Conn. to house dro	ini	4	\$ 2.00	
MULTI FAMILY			<del></del>			
NEW COLL RUCTION				<del></del> +		
		DEPT. PLUMBING INSPECTION				

37

,

	PERMIT TO INSTALL I	PLUMB	ING 7	4755 379		1	4597
~		Addres	is.	Lot 8 Brook Road		ם ספי	RASIT NUMBI
()	Date	Installe	tion Fo			F E-	VISHE INDIMO
•	Issued 10-21-64	Owner	of Bld				
	PORTLAND PLUMBING INSPECTOR		's`Addr		unuth	-	
•	By J. P. Welch	Plumb	err ·	William H. Carr	Dote:	70	21-64
		NEW	REPL	PROPOSED INSTALLATIONS		MMILE	FEE
	AFFROVED FIRST INSPECTION	1_		\$INK5			\$ 2,00
_	Date 10-21-64	2		IAVATORIES		<u> </u>	4.00
Ja.	Date / Date	2		TOILETS		2	4.00
4.		1		BATH TUBS		i i i	4.00 .60
77.0	by Deluc	1	LJ	SHOWERS			.60
01.	APPROVED FINAL INSPECTION	_1_		DRAINS		<del>  ;  </del>	60
1	20.116			HOT WATER TANKS		1	
	Dole 3/31/65em	_1		TANKLESS WATER HEATERS		┍┰┪	.60
	JOSEPH P. WEI	CH-		GARBAGE GRINDERS			
	A	-011-		SEPTIC TANKS		4:	<del></del> ;
	CHIEFTYPHAINENBURGE INST	EC 10		HOUSE SEWERS		<del> </del>	
	RESIDENTIAL			ROOF LEADERS (Conn. to house de	rain)	<del>                                     </del>	
	☐ SINGLE	I		Other Fixture	<u> </u>		.60
-{( )	MULTI FAMILY					<del>                                     </del>	
12	☐ NEW CONSTRUCTION			<del></del>		<del>  </del>	
	REMODELING	IAND	UEAIT	H DEDT PHIMBING INCRECTION	, TOY	AL D	\$13.00

## 13 RESIDENCE ZONE



## APPLICATION FOR PERMIT

Class of Building or Type of Structure \_\_\_\_ Third Class

August 28 1964

SEP QUELLES

CITY of FORTLAND

It is understood that this permi dos. "of inche the name of the healing contractur. PERMIT  Is any plumbing involved in this work?  Is connection to be made to public sewer?  Has septic tank notice been sent?  Height average grade to top of plate 1. No Material of foundation concrete  Kind of roof 21th Rise per for No. of chimneys 1 Material of concrete Framing Lumber—Kind hanlock Dresse Size Girder 6x10 Columns under Studs (outside walls and carrying partitions	Heat Series Person yes yes Thickness	pecifications:  Wiscook hoad  Pecifications:  Wiscook hoad  Pecifications  Style of not not new house 24'8" and 24'8	oning Ordinance ithin Fire Limits  Plans  of  Work  232!  Perform  ratus which is to  rars  cal work involve as proposed for a	Dist. No.  Telephone Telephone Telephone No. of sheets 5 No. families Roofing Fee \$ 28.00  Telephone No. families  Roofing  Telephone No. families  Roofing  Telephone No. families  Roofing
Owner's name and address  Lessee's name and address  Contractor's name and address  Architect  Proposed use of building  Last use  Material frame  No. stories  Other buildings on same lot  Estimated cost \$ 14,000  Ger  To construct 2-story frame  It is understood that this permi dox of inche the name of the healing contractur. PERMIT  Is any plumbing involved in this work?  Is connection to be made to public sewer?  Has septic tank notice been sent?  Height average grade to top of plate  Size, front 32 depth 2180  Material of foundation concrete  Kind of roof pitch Rise per for No. of chimneys  I material of Columns under Size Girder 6x10 Columns under Studs (outside walls and carrying partitions)	Heat Special Description of TO BB ISS  Details of yes yes Thickness Thicknes	pecifications  Style of no  ption of New  house 24'8" 2  of heating appa  SURD TO on  of New Work  Is any electric  If not, what a	Plans  of  Work  2 32!  Per **  ratus which is to rars  cal work involve as proposed for s	Telephone Telephone No. of sheets 5 No. families Roofing Fee \$ 28.00
Contractor's name and address Owner Architect Proposed use of building Last use Material frame No. stories 2 Other buildings on same lot Estimated cost \$ 14,000  Ger  To construct 2-story frame  It is understood that this permi dos of inche the name of the healing contractur. PERMIT  Is any plumbing involved in this work? Is connection to be made to public sewer? Has septic tank notice been sent? Height average grade to top of plate 15 Size, front 32 depth 2180 Material of foundation concrete  Kind of roof pitch Rise per for No. of chimneys 1 Material of columns under Size Girder 6x10 Columns under Studs (outside walls and carrying partitions	Heat Special Description of TO BB ISS  Details of yes yes Thickness Thicknes	pecifications  Style of no  ption of New  house 24'8" 2  of heating appa  SURD TO on  of New Work  Is any electric  If not, what a	Plans  of  Work  2 32!  Per **  ratus which is to rars  cal work involve as proposed for s	Telephone Telephone No. of sheets 5 No. families Roofing Fee \$ 28.00
Contractor's name and address Owner Architect Proposed use of building Last use Material frame No. stories 2 Other buildings on same lot Estimated cost \$ 14,000  Ger  To construct 2-story frame  It is understood that this permi dos of inche the name of the healing contractur. PERMIT  Is any plumbing involved in this work? Is connection to be made to public sewer? Has septic tank notice been sent? Height average grade to top of plate 15 Size, front 32 depth 2180 Material of foundation concrete  Kind of roof pitch Rise per for No. of chimneys 1 Material of columns under Size Girder 6x10 Columns under Studs (outside walls and carrying partitions	Meat Specific dwelling in the stallation of TO BE ISS  Details of the stallation of	pecifications  Style of no  ption of New  house 24'8" a  for healing appa  SUED TO on  for New Work  Is any electric  If not, what a	Plans  of  Work  2 32!  Per   ratus which is to rars  cal work involve as proposed for s	Telephone Telephone No. of sheets 5 No. families 1 No. families Roofing Fee \$ 28.00  be taken out separately by and din this work? Ves
Architect Proposed use of building Last use Material frame No. stories 2 Other buildings on same lot Estimated cost \$ 14,000  Ger  To construct 2-story frame  It is understood that this permi dos. "of inche the name of the healing contractur. PERMIT  Is any plumbing involved in this work? Is connection to be made to public sewer? Has septic tank notice been sent? Height average grade to top of plate Size, front 32 depth 2188 No. Material of foundation concrete  Kind of roof pitch Rise per for No. of chimneys 1 Material of columns understands of columns understands (outside walls and carrying partitions)	Heat Special Description of the stallation of th	pecifications  Style of no  ption of New  nouse 24'8" 2  of healing appa  NURD TO on  of New Work  Is any electric.  If not, what a	Plans	Telephone  No. of sheets 5  No. families 1  No. families 2  Roofing  Fee \$ 28.00  be taken out separately by and din this work? Ves
Proposed use of building  Last use  Material frame No. stories 2  Other buildings on same lot  Estimated cost \$ 14,000  Gen  To construct 2-story frame  It is understood that this permi-dox at inche the name of the healing contracter. PERMIT  Is any plumbing involved in this work?  Is connection to be made to public sewer?  Has septic tank notice been sent?  Height average grade to top of plate 15  Size, front 32! depth 21,18! No Material of concrete thing at 16 a	Dwelling  Heat  Heat  dwelling  dwelling  dwelling  Details  Details  yes  yes  Yes  Thickness	pecifications  Style of no  ption of New  house 24 '8" 3  of healing appa  SURD TO on  of New Work  Is any electric.  If not, what a	Plans	No. of sheets 5  No. families 1  No. families 2  Roofing 5  Fee \$ 28.00  be taken out separately by and this work? Ves
Last use  Material frame No. stories 2  Other buildings on same lot  Estimated cost \$ 14,000  Gen  To construct 2-story frame  It is understood that this permi-dox of inche the name of the healing contractor. PERMIT  Is any plumbing involved in this work?  Is connection to be made to public sewer?  Has septic tank notice been sent?  Height average grade to top of plate 19  Size, front 32! depth 21,18! No Material of foundation concrete  Kind of roof pitch Rise per for No. of chimneys 1 Material of corrections of concrete in the first perming Lumber—Kind healock Dresse Size Girder 6x10 Columns understands of contractors and carrying partitions	Heat  Heat  Meral Description  dwelling !  dwelling !  Details of the control of	ption of New house 24'8"; of heating appa SURD TO ow New Work Is any electric.	work  2 321  Permi	No. families 1  No. families 1  Roofing Roofing Fee \$ 28.00  No. families 1  Roofing Part Nicro  No. f
Material frame No. stories 2  Other buildings on same lot	Heat	ption of New house 24'8" a foliating appa SUED TO ow of New Work Is any electric	Work  2 32!  Per   ratus which is to  rars  cal work involve  s proposed for  s	No. families
Other buildings on same lot  Estimated cost \$ 14,000  Gen  To construct 2-story frame  It is understood that this permi dos. "of inche the name of the healing contractur. PERMIT  Is any plumbing involved in this work?  Is connection to be made to public sewer?  Has septic tank notice been sent?  Height average grade to top of plate  Size, front 32 depth 2188 No  Material of foundation concrete  Kind of roof pitch Rise per for No. of chimneys 1 Material of concrete  No. of chimneys 1 Material of concrete  Framing Lumber—Kind heallock Dresse Size Girder 6x10 Columns understands of contracts and carrying partitions	dwelling is dwelling in the dwelling is dwelling in the dwelli	ption of New house 24 t 8" of healing appa SUED TO ow I New Work Lis any electric	Work  2 321  Person  ratus which is to  rars  cal work involve as proposed for	Fee \$ 28.00  The Isened with Mcmo  be taken out separately by and this work? Ves
Estimated cost \$ 14,000  Ger  To construct 2-story frame  It is understood that this permi-dox rot inclinate name of the healing contractur. PERMIT  Is any plumbing involved in this work?  Is connection to be made to public sewer?  Height average grade to top of plate 19  Size, front 32 depth 21,18 No.  Material of foundation concrete  Kind of roof pitch Rise per found from the pitch of plate 10 of	dwelling installation TO BE ISS  Details of yes  yes  Yes  Thickness	ption of New house 24, 8" a of healing appa NURD TO ow of New Work Is any electric	Work  2 321  Parm  ratus which is to  rars  cal work involve as proposed for	Fee \$ 28.00  It Insued with Mcmo  be taken out separately by and this work? Ves
To construct 2-story frame  It is understood that this permi-dox rot inchithe name of the healing contractur. PERMIT  Is any plumbing involved in this work?  Is connection to be made to public sewer?  Height average grade to top of plate 19  Size, front 32 depth 21:18 No.  Material of foundation concrete  Kind of roof pitch Rise per fection of chimneys 1 Material of concrete  No. of chimneys 1 Material of concrete in the first file of the concrete in the file of the file of the concrete in the file of the fil	dwelling is dwelling in dwelling is dwelli	nouse 24 8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Work  2 321  Parm  ratus which is to  rears  cal work involve as proposed for	be taken out separately by and din this work? Ves
It is understood that this permi dos. "of inche the name of the healing contractur. PERMIT  Is any plumbing involved in this work?  Is connection to be made to public sewer?  Has septic tank notice been sent?  Height average grade to top of plate 1. No Material of foundation concrete  Kind of roof 21th Rise per for No. of chimneys 1 Material of concrete Framing Lumber—Kind hanlock Dresse Size Girder 6x10 Columns under Studs (outside walls and carrying partitions	dwelling in dwelli	nouse 24 t8" of healing appa SUED TO on M. New Work	Periodical work involves as proposed for	the lawned with Mcmo  be taken out separately by and this work? Vas
It is understood that this permi dos. "of inche the name of the healing contractur. PERMIT  Is any plumbing involved in this work?  Is connection to be made to public sewer?  Has septic tank notice been sent?  Height average grade to top of plate 1. No Material of foundation concrete  Kind of roof 21th Rise per for No. of chimneys 1 Material of concrete Framing Lumber—Kind hanlock Dresse Size Girder 6x10 Columns under Studs (outside walls and carrying partitions	dwelling in dwelli	nouse 24 t8" of healing appa SUED TO on M. New Work	Periodical work involves as proposed for	be taken out separately by and a din this work? <u>Vas</u>
It is understood that this permi doc. "ot inche the name of the healing contractur. PERMIT  Is any plumbing involved in this work?  Is connection to be made to public sewer?  Has septic tank notice been sent?  Height average grade to top of plate!  Size, front32! depth2! 8!! No	Details of yes  yes  yes  Yes  Thickness	of heating appa SUZD TO on Manual New Work Language Langu	permits which is to wars cal work involves proposed for s	be taken out separately by and a din this work? <u>Vas</u>
It is understood that this permi doc. "ot inche the name of the healing contractur. PERMIT  Is any plumbing involved in this work?  Is connection to be made to public sewer?  Has septic tank notice been sent?  Height average grade to top of plate!  Size, front32! depth2! 8!! No	Details of yes  yes  yes  Yes  Thickness	of heating appa SUZD TO on Manual New Work Language Langu	permits which is to wars cal work involves proposed for s	be taken out separately by and a din this work? <u>Vas</u>
Is any plumbing involved in this work?  Is connection to be made to public sewer?  Has septic tank notice been sent?  Height average grade to top of plate 15  Size, front 32 depth 22 8 No at 16 at 1	Details of yes yes 2	of New Work  Is any electric  If not, what	ratus which is to vers cal work involve us proposed for s	be taken out separately by and a din this work? <u>Vas</u>
Is any plumbing involved in this work?  Is connection to be made to public sewer?  Has septic tank notice been sent?  Height average grade to top of plate 15  Size, front 32 depth 22 8 No at 16 at 1	Details of yes yes 2	of New Work  Is any electric  If not, what	ratus which is to vers cal work involve us proposed for s	be taken out separately by and a din this work? <u>Vas</u>
Is any plumbing involved in this work?  Is connection to be made to public sewer?  Has septic tank notice been sent?  Height average grade to top of plate 15  Size, front 32 depth 22 8 No at 16 at 1	Details of yes yes 2	of New Work  Is any electric  If not, what	ratus which is to vers cal work involve us proposed for s	be taken out separately by and a din this work? <u>Vas</u>
Is any plumbing involved in this work?  Is connection to be made to public sewer?  Has septic tank notice been sent?  Height average grade to top of plate 15  Size, front 32 depth 22 8 No at 16 at 1	Details of yes yes 2	of New Work  Is any electric  If not, what	ratus which is to vers cal work involve us proposed for s	be taken out separately by and a din this work? <u>Vas</u>
Is any plumbing involved in this work?  Is connection to be made to public sewer?  Has septic tank notice been sent?  Height average grade to top of plate 15  Size, front 32 depth 22 8 No at 16 at 1	Details of yes yes 2	of New Work  Is any electric  If not, what	ratus which is to vers cal work involve us proposed for s	be taken out separately by and d in this work? <u>V98</u>
Height average grade to top of plate 15 Size, front 32 depth 24 8 No at 18 A Material of foundation concrete Kind of roof pitch Rise per fe No. of chimneys 1 Material of Framing Lumber-Kind htmlock Dresse Size Girder 6x10 Columns under Studs (outside walls and carrying partitions	21 J			
Size, front 32 depth 21.18" No Material of foundation concrete  Kind of roof pitch Rise per for No. of chimneys 1 Material of for Framing Lumber-Kind htmlock Dresse Size Girder 6x10 Columns under Studs (outside walls and carrying partitions	stories 2 Thickness	leight average g	sent//	
No. of chimneys 1 Material of c Framing Lumber-Kind htmlock Dresse Size Girder 6x10 Columns under Studs (outside walls and carrying partitions	stories 2 Thicknes	Q	rade to highest	point of mof 241
No. of chimneys 1 Material of c Framing Lumber-Kind htmlock Dresse Size Girder 6x10 Columns under Studs (outside walls and carrying partitions	Thicknes	solid or filled !	land? solic	d earth ar more earth
No. of chimneys 1 Material of c Framing Lumber-Kind htmlock Dresse Size Girder 6x10 Columns under Studs (outside walls and carrying partitions	oot	3, top 10"	bottom 10"	cellar yes
Size Girder 6x10 Columns under Studs (outside walls and carrying partitions	manlana .	Roof covering	, Asphalt	Class C Und Label.
Size Girder 6x10 Columns under Studs (outside walls and carrying partitions	himneys bri	ckof lining ti	le Kind	of back to
Studs (outside walls and carrying partitions	a or full size?	uressed (	Corner posts 4	of heat fuel 2x8 box
Studs (outside walls and carrying partitions	r girders	ally Size	3 <u>‡</u> 11	May on center 61311
	) 2x4-16" O. (	C. Bridging in es	very floor and A	et med comers 0 fort
Joints and raiters: 1st floor_~A.c	2	nd 2x8	ceiling 2x6	. n
On centers: 1st floor 16'		nd 16"	3rd 16"	1 612
Maximum span: 1st floor 15-	1611 2	nd 1216"		, roof
If one story building with masonry walls, th			31U	•
,,			······································	height?
No core nous accommodated and a	Li a	Garage		
No. cars now accommodated on same lot	, to be accom	modatednu	mber commercia	l cars to be accommodated
Will automobile repairing be done other than	n minor repairs	to cars habitua	lly stored in the	proposed building?
PROVED:			Miscellan	
c- 9/1/44- alle. W/ 615	win	work require dis	turbing of any t	ree on a public street? <u>no</u>
the file to the file to the file of the fi				e work a person competent to
	see t	that the State	and City requir	ements pertaining thereto an
	obser		reduit	
	*******	Ved!		_
441		ved? <u>yes</u> K.Woodard Par	tme /	)
		L. Woodard Pay	yne	

- Jm

Semude Check Notice NOTES T Staking Out Notice Cert of Occupancy issued 2/17/6 Inspn. closing in 10/23/64 Date of permit 112/14 FIFTE Table dine 10 10 · . . . inul 15 1 : 3 . . . Jac. 11 10 S.J.M. 413.1 ich of a same 1140 ) 77 140 15 DOLIA! eds.5 · Jun H & college groups

J.



## CITY OF PORTLAND, MAINE Department of Building Inspection

Certificate of Occupancy LOCATION Lot 8 Prock Road

Date of Issue Fobruary 16, 1965

This is to certify that the building, premises, or part thereof, at the above location, builtdenniger water Building Permit No. 64/1106, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below. APPROVED OCCUPANCY

PORTION OF BUILDING OR PREMISES

Kntire Limiting Conditions:

1-family dwelling

This certificate supersedes certificate issued

Approved: (Date)

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands. Copy will be furnished to owner or lesses for one dollar.

Lots 8 & 9 Brook Road

Feb. 9, 1965

Carr & Langillo Gray Road Falmouth, Fains cc to: E. Woodard Payne 82 Brook Road

Centlement

Upon inspection of the above job on Peb. 8, 1965, the following omissions were found which prevent us from issuing the certificate of occupancy-required by law to be in possession of the caner before the building may be lawfully occupied:

No permits have been taken out for the installation or oll burners and heating systems at the above locations.

It is important that the above conditions be corrected before Feb. 17, 1965 and that you notify this office of readiness for another importion, so that, if all is found in order, the certificate of occupancy required to law may be issued.

If additional information relative to the above is desired, please phone Inspector farle smith at 774-8221, extension 236, any week day but Saturday between 6:00 and 8:30 A. H.

very truly yours, '

Earle 8. Smith Finld Inspector

ESSIR

Story dwere

## CHECK AGAINST ZONING ORDINANCE

Alich

LanDate - New F-Zone Location - R3 G. F Finterior or corner-Lot - C. H L-40 ft. setback area? (Section 21) 416 - 6.K Flue - 2-story dwelling OF FSewage Disposal - Sewer OF L-Rear Yards - 55'- 0. H. ' Laide Yards - 10' - 10' - Ork Front Yards - 30' - 6.4 \_ Projections - Chimney bulknesd, Greeking - C.4 -Height - 2-Story - Coff Flot Area - 7, 126" 6.1" Building Area - 1,980 - House 905 - 01. Area per Family - O.K. Width of Lot - 0,4 LLot Frontage -Off-street Parking - GHT

Memorandum from Department of Building Inspection, Portland, Maine

A.P.- Lot 8 Prook Road Ext.

Sept. 2, 1964

Mr. C. Hoodard Payne 82 Brook Road co to: William L. Vessar, úr. 74 Fernham St.

Dear Mr. Payner

Fermit to construct a 2-story frame dwelling 24:-3" x 32' is being issued subject to plans received with application and in compliance with Zoming Ordinance and Building Code restrictions as follows:

Nailer on girder shall be at least a 2x3 inch nalling strip instead of the 2x2 inch shown on plans.

Very truly yours,

A. Allan Soule Field Inspector

AASım

CS-27